Message

From: Robinson, Valois [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP

(FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=A4217A71307D4429B7BDC7C80EB40C7D-SHEA, VALOIS]

Sent: 12/9/2019 2:09:25 PM

To: Suchomel, Bruce [Suchomel.Bruce@epa.gov]

Subject: RE: review of Cadmus Work Plan: please see attached work plan review sheet

That is a different fee from the work plan fee.

Valois

Valois Robinson U.S. EPA Region 8 MailCode: 8WD-SDU 1595 Wynkoop Street Denver, CO 80202-1129 Phone: (303) 312-6276

Fax: (303) 312-6741

Email: robinson.valois@epa.gov


From: Suchomel, Bruce < Suchomel. Bruce@epa.gov>

Sent: Monday, December 9, 2019 7:09 AM

To: Robinson, Valois < Robinson. Valois@epa.gov>

Subject: RE: review of Cadmus Work Plan: please see attached work plan review sheet

Hi Valois, in looking at your justification you said the IGCE didn't include fee. There is one, shown below, though not as high as you indicated. You indicated \$8,203, though the amount below is \$3,155. Just want to clarify..thx.



Bruce Suchomel, Environmental Engineer UIC Projects and Permits, USEPA (8WD-SDU) 1595 Wynkoop Street Denver, CO 80202 303-312-6001

From: Robinson, Valois Robinson.Valois@epa.gov

Sent: Thursday, December 5, 2019 11:53 AM **To:** Suchomel, Bruce < Suchomel, Bruce @epa.gov>

Subject: FW: review of Cadmus Work Plan: please see attached work plan review sheet

Hi Bruce,

Is this the one you meant?

Valois

Valois Robinson

U.S. EPA Region 8 MailCode: 8WD-SDU 1595 Wynkoop Street Denver, CO 80202-1129 Phone: (303) 312-6276

Fax: (303) 312-6741

Email: robinson.valois@epa.gov

From: Robinson, Valois

Sent: Wednesday, December 4, 2019 6:49 PM

To: Suchomel, Bruce <<u>Suchomel.Bruce@epa.gov</u>>; Minter, Douglas <<u>Minter.Douglas@epa.gov</u>>

Subject: review of Cadmus Work Plan that includes the addition of Task 4: Cadmus total cost is \$59,920

Hi Douglas and Bruce,

I reviewed the new Work Plan that includes the 2019 Dewey-Burdock comments and updates the response to comments with any new info that may be added from the 2019 comments.

I have attached the review document.

The bottom line is the cost increase that Cadmus proposes is \$59,920 compared to my IGCE of \$49,555.09, which is a 21% increase over the IGCE. The reason for the difference is the work plan fee, which is \$8,203. There isn't really a data field for that fee in the ICGE spreadsheet, so this cost is not accounted for in the IGCE. Besides the work plan fee, I underestimated direct costs, but that resulted in an increase of only 4.4%. Do you want to check to see if HQ can cover the cost increase?

Thanks!

Valois

Valois Robinson U.S. EPA Region 8 MailCode: 8WD-SDU 1595 Wynkoop Street Denver, CO 80202-1129 Phone: (303) 312-6276

Fax: (303) 312-6741

Email: robinson.valois@epa.gov